


IND-PACS-TSL-40



PORTABLE ACCESS CONTROL SYSTEM

WITH FULL HEIGHT TURNSTILE

INDSECOM is pleased to announce our new product “ PORTABLE ACCESS CONTROL SYSTEM”. It’s a readymade solution for the site security with Access Control and other applications where time and attendance, special event ticketing or employee tracking is required.

This specially designed system connects advantages of Security gates (Turnstiles:: Half Height, Full Height or Tripods) and Electronic Access Control (RFID Reader, Barcode Scanner, Bio-metric Reader) , Mobility (Easily portable unit) & Cost Management.

> Full Height Turnstile : Indsecocom designed this special type gates for the sensitive sites where the people screening is critical. This is ideal for high security construction sites and events.

> Electronic Access Control : Bio-metric finger print readers or RFID Card Readers or Bar Code scanners are used as the access control systems inside our Portable Access Control System. This Access Control System can be integrated with central server or keep as a stand alone unit with the help of local control device provided along with PACS.



> **Mobility & Cost Management** : Through the Portability of the Portable Access Control System, the entire unit can be easily transported from job to job providing you with continued cost reduction on every project and event.

PACS MODELS

Portable Access Control System is been categorized according to the type of Turnstiles used. Also custom options are available according to the customer requirements.



⇒ FULL HEIGHT TURNSTILES

It's been further classified to two models according to the size of the container's.

- 40ft. Module (IND-PACS-TSL-40)

It consist of Six (6) FULL HEIGHT TURNSTILES along with a GUARD ROOM for monitoring.

- 20ft. Module (IND-PACS-TSL-20)

It consist of Two (2) FULL HEIGHT TURNSTILES along with a GUARD ROOM for monitoring.

TECHNICAL SPECIFICATIONS

Our Full Height Turnstile PACS model consist of following features.

ITEM	IND-PACS-TSL-40
Container Dimension (l x w x h)	12192 mm x 2438 mm x 2591 mm
Security Room Dimension (l x w x h)	2500 mm x 2438 mm x 2591 mm
Shutter Length	4000 mm
Number of Shutters	04 Nos.
Full Height Turnstile Dimension (l x h)	1450 mm x 2200 mm
Number of Full Height Turnstile	06 Nos.
Passage Width	590 mm
A/C for Security Room	Yes
Warranty	1 Year Manufacture Warranty.
Length of Sliding Door	1200 mm
Length of Entry & Exit Door for Security Room	1000 mm

*Customized models are also available as per the customer requirements.

INDUSTRIAL SECURITY AND COMMUNICATION SYSTEMS LTD.

PH: +44 121 364 0400

FAX: +44 121 368 0040

sales@indsecom.com

www.indsecom.com



**312, Halesowen Road, Cradley Heath
West Midlands, United Kingdom, B646 NL**

NOTE: All dimensions are approximate. INDSECOM's continuous development program may bring specification changes without prior notice.