


IND-PACS-HDT-20



PORTABLE ACCESS CONTROL SYSTEM

WITH HALF DOOR PASSAGE

INDSECOM is pleased to announce our new product “PORTABLE ACCESS CONTROL SYSTEM”. It’s a readymade solution for the site security with Access Control and other applications where time and attendance, special event ticketing or employee tracking is required.

This specially designed system connects advantages of Security gates (Turnstiles:: Half Height, Full Height or Tripods) and Electronic Access Control (RFID Reader, Barcode Scanner, Bio-metric Reader) , Mobility (Easily portable unit) & Cost Management.

> Half Door Gate : Specially designed half door gates provide the ease of people mobility with their hand tools or hand held luggage. This maintenance free gates are constructed with Stainless Steel materials and can be customized as per customer width requirements.


> Electronic Access Control : Bio-metric finger print readers or RFID Card Readers or Bar Code scanners are used as the access control systems inside our Portable Access Control System. This Access Control System can be integrated with central server or keep as a stand alone unit with the help of local control device provided along with PACS.



> **Mobility & Cost Management** : Through the Portability of the Portable Access Control System, the entire unit can be easily transported from job to job providing you with continued cost reduction on every project and event.

PACS MODELS

Portable Access Control System is been categorized according to the type of Turnstiles used. Also custom options are available according to the customer requirements.



⇒ **HALF HEIGHT DOORS**

It's been further classified to two models according to the size of the container's.

- *20ft. Module (IND-PACS-HDT-20)*

It consist of Four (4) Half Height Doors along with a GUARD ROOM for monitoring.

- *40ft. Module (IND-PACS-HDT-40)*

It consist of Eight (8) Half Height Doors along with a GUARD ROOM for monitoring.

TECHNICAL SPECIFICATIONS

Our Half Height Doors PACS model consist of following features.

| ITEM | IND-PACS-HDT-20 |
|---|------------------------------|
| Container Dimension (l x w x h) | 6058 mm x 2438 mm x 2438 mm |
| Security Room Dimension (l x w x h) | 2500 mm x 2438 mm x 2438 mm |
| Shutter Length | 2700 mm |
| Number of Shutters | 02 Nos. |
| Half Height Door Dimension (l x w x h) | 1000 mm x 750 mm x 1000 mm |
| Number of Half Height Doors | 04 Nos. |
| Passage Width | 750 mm |
| A/C for Security Room | Yes |
| Warranty | 1 Year Manufacture Warranty. |
| Length of Sliding Door | 1200 mm |
| Length of Entry & Exit Door for Security Room | 1000 mm |

*Customized models are also available as per the customer requirements.

INDUSTRIAL SECURITY AND COMMUNICATION SYSTEMS LTD.

PH: +44 121 364 0400

FAX: +44 121 368 0040


sales@indsecom.com

www.indsecom.com



**312, Halesowen Road, Cradley Heath
West Midlands, United Kingdom, B646 NL**

NOTE: All dimensions are approximate. INDSECOM's continuous development program may bring specification changes without prior notice.



NOTES

1) All dimensions are in millimeters. Unless otherwise noted.

NTS

CLIENT

PROJECT OWNER

PROJECT

| Rev | Date | Written By | Checked By | Approved By | Modification | Issue |
|-----|------------|------------|------------|-------------|----------------------|-------|
| 00 | 22/10/2019 | BLESS | D P T | SONU V | Creation of document | IFA |

COMPANY



INDUSTRIAL SECURITY AND COMMUNICATION SYSTEMS LTD
312 Halesowen Road,
Cradley Heath,
West Midlands,
United Kingdom. B64 6NL
+44(0) 121 364 0400

| | |
|--------|--|
| SYSTEM | |
| GROUP | |
| SITES | |

TITLE: HALF HEIGHT DOORS

This document is the property of Indsecom and may not be reproduced, used or communicated without authorisation.

| Range | Format | Drawing Number | Page | Rev |
|-------|--------|-----------------|------|-----|
| NA | A3 | IND-PACS-HDT-20 | 01 | 00 |